

Print Date : 31.01.2025

Print Time : 15:29:58

Printed By : Initial User

Product Name : Esom EC 40 mg + Dom SR 30m

PRE1841 - Inprocess Report

Batch Date : 31.01.2025

Batch No. : VK200

MPR No.	CPG-T19	Interval Start Time	31-01-2025 14:48:01	Parameters	LSL	Target	USL
Product Code	200101341	Interval Stop Time	31-01-2025 15:25:01	Group Weight (g)	4.414	99999.000	4.686
Type Of Rotary	Double	User Name	Initial User	Individual Weight (g)	NA	NA	NA
Area	CGD	Balance ID	PRE1130	Thickness (mm)	4.190	99999.000	6.190
No. Of Stations	11	Hardness Tester ID	MM123	Hardness (N)	3.170	99999.000	7.170
LHS Container No.	NA	Friabilator ID	PRE825	Friability (%)	NMT		1
RHS Container No.	6776	Disintegration Tester ID	PRE1054	Disintegration Time (mm:ss)	NMT		15:00
		Compression Equipment	M0001				

Start Time	31.01.2025 14:48:01	31.01.2025 15:20:57		
Stop Time	31.01.2025 14:48:17	31.01.2025 15:22:32		
S.No.	Group Weight Of 10 Tablets (g)	S.No.	Individual Thickness (mm)	Individual Hardness (N)
Side:	RHS	Side:	RHS	RHS
1.	4.555	1.	5.40	7
		2.	5.40	7
		3.	5.40	7
		4.	5.40	7
		5.	5.40	7
		6.	5.40	7
		7.	5.40	7
		8.	5.40	7
		9.	5.40	7
		10.	5.40	7

31.01.2025 15:23:02		31.01.2025 15:24:41
31.01.2025 15:24:13		31.01.2025 15:25:00
Friability RHS (%)		Disintegration Time (mm:ss)
Before	After	Side:RHS
7.584	7.584	12:12
0.000		

Checked By :

Date :

Print Date : 31.01.2025

Print Time : 15:30:00

Printed By : Initial User

Product Name : Esom EC 40 mg + Dom SR 30m

PRE1841 - Inprocess Report

Batch Date : 31.01.2025

Batch No. : VK200

Start Time	31.01.2025 15:18:13										
Stop Time	31.01.2025 15:18:35										
	Individual Weight (g)										
S.No.	RHS	S.No.	RHS	S.No.	RHS	S.No.	RHS	S.No.	RHS	S.No.	RHS
1.	0.455	21.	NA	41.	NA	61.	NA	81.	NA	101.	NA
2.	0.455	22.	NA	42.	NA	62.	NA	82.	NA	102.	NA
3.	0.455	23.	NA	43.	NA	63.	NA	83.	NA	103.	NA
4.	0.455	24.	NA	44.	NA	64.	NA	84.	NA	104.	NA
5.	0.455	25.	NA	45.	NA	65.	NA	85.	NA	105.	NA
6.	0.455	26.	NA	46.	NA	66.	NA	86.	NA	106.	NA
7.	0.455	27.	NA	47.	NA	67.	NA	87.	NA	107.	NA
8.	0.455	28.	NA	48.	NA	68.	NA	88.	NA	108.	NA
9.	0.455	29.	NA	49.	NA	69.	NA	89.	NA	109.	NA
10.	0.455	30.	NA	50.	NA	70.	NA	90.	NA	110.	NA
11.	0.455	31.	NA	51.	NA	71.	NA	91.	NA	111.	NA
12.	0.455	32.	NA	52.	NA	72.	NA	92.	NA	112.	NA
13.	0.455	33.	NA	53.	NA	73.	NA	93.	NA	113.	NA
14.	0.455	34.	NA	54.	NA	74.	NA	94.	NA	114.	NA
15.	0.455	35.	NA	55.	NA	75.	NA	95.	NA	115.	NA
16.	NA	36.	NA	56.	NA	76.	NA	96.	NA	116.	NA
17.	NA	37.	NA	57.	NA	77.	NA	97.	NA	117.	NA
18.	NA	38.	NA	58.	NA	78.	NA	98.	NA	118.	NA
19.	NA	39.	NA	59.	NA	79.	NA	99.	NA	119.	NA
20.	NA	40.	NA	60.	NA	80.	NA	100.	NA	120.	NA

Checked By :

Date :

Print Date : 31.01.2025

Print Time : 15:30:01

Printed By : Initial User

Product Name : Esom EC 40 mg + Dom SR 30m

PRE1841 - Inprocess Report

Batch Date : 31.01.2025

Batch No. : VK200

S.No.	Group Weight (g)	Individual Weight (g)	Individual Thickness (mm)	Individual Hardness (N)	Friability (%)	Disintegration Time (mm:ss)
Avg	4.555	0.455	5.400	7.000	0.000	12:12
Min	4.555	0.455	5.400	7.000	0.000	12:12
Max	4.555	0.455	5.400	7.000	0.000	12:12
Diff	0.000	0.000	0.000	0.000		
SD %	0.000	0.000	0.000	0.000		
RSD %	0.000	0.000	0.000	0.000		
Result	PASS	PASS	PASS	PASS	PASS	PASS

Checked By :

Date :

Print Date : 31.01.2025

Print Time : 15:30:01


Printed By : Initial User

Product Name : Esom EC 40 mg + Dom SR 30m

PRE1841 - Inprocess Report

Batch Date : 31.01.2025

Batch No. : VK200



Checked By :

Date :

Print Date : 31.01.2025

Print Time : 15:30:02



Printed By : Initial User

Product Name : Esom EC 40 mg + Dom SR 30m

PRE1841 - Inprocess Report

Batch Date : 31.01.2025

Batch No. : VK200



Checked By :

Date :