

Print Date : 21.08.2025

Print Time : 14:05:14

Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 21.08.2025

Batch No. : V32

MPR No.	cpg-t19	Interval Start Time	21-08-2025 11:25:00	Parameters	LSL	Target	USL
Product Code	200006677	Interval Stop Time	21-08-2025 14:03:15	Group Weight (g)	4.414	3.850	4.686
Type Of Rotary	Double	User Name	PASXProduction FTO3Test	Individual Weight (g)	NA	NA	NA
Area	CUBCI	Balance ID	PRE1340	Thickness (mm)	NA	NA	NA
No. Of Stations	19	Hardness Tester ID	NA	Hardness (kp)	NA	NA	NA
LHS Container No.	13132	Friabilator ID	NA	Friability (%)	NA		NA
RHS Container No.	NA	Disintegration Tester ID	NA	Disintegration Time	NA		NA
		Compression Equipment	PRE965				

Start Time	21.08.2025 13:56:14	NA		
Stop Time	21.08.2025 14:02:59	NA		
S.No.	Group Weight Of 10 Tablets (g)	S.No.	Individual Thickness (mm)	Individual Hardness (kp)
Side:	LHS	Side:	LHS	LHS
1.	4.439	1.	NA	NA

NA		NA
NA		NA
Friability LHS (%)		Disintegration Time (mm:ss)
Before	After	Side:LHS
NA	NA	NA
NA		

Checked By :

Date :

Print Date : 21.08.2025

Print Time : 14:05:16

Printed By : PASXProduction FTO3Test

Batch Date : 21.08.2025

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

Batch No. : V32

Start Time	NA										
Stop Time	NA										
	Individual Weight (g)										
S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS
1.	NA	21.	NA	41.	NA	61.	NA	81.	NA	101.	NA
2.	NA	22.	NA	42.	NA	62.	NA	82.	NA	102.	NA
3.	NA	23.	NA	43.	NA	63.	NA	83.	NA	103.	NA
4.	NA	24.	NA	44.	NA	64.	NA	84.	NA	104.	NA
5.	NA	25.	NA	45.	NA	65.	NA	85.	NA	105.	NA
6.	NA	26.	NA	46.	NA	66.	NA	86.	NA	106.	NA
7.	NA	27.	NA	47.	NA	67.	NA	87.	NA	107.	NA
8.	NA	28.	NA	48.	NA	68.	NA	88.	NA	108.	NA
9.	NA	29.	NA	49.	NA	69.	NA	89.	NA	109.	NA
10.	NA	30.	NA	50.	NA	70.	NA	90.	NA	110.	NA
11.	NA	31.	NA	51.	NA	71.	NA	91.	NA	111.	NA
12.	NA	32.	NA	52.	NA	72.	NA	92.	NA	112.	NA
13.	NA	33.	NA	53.	NA	73.	NA	93.	NA	113.	NA
14.	NA	34.	NA	54.	NA	74.	NA	94.	NA	114.	NA
15.	NA	35.	NA	55.	NA	75.	NA	95.	NA	115.	NA
16.	NA	36.	NA	56.	NA	76.	NA	96.	NA	116.	NA
17.	NA	37.	NA	57.	NA	77.	NA	97.	NA	117.	NA
18.	NA	38.	NA	58.	NA	78.	NA	98.	NA	118.	NA
19.	NA	39.	NA	59.	NA	79.	NA	99.	NA	119.	NA
20.	NA	40.	NA	60.	NA	80.	NA	100.	NA	120.	NA

Checked By :

Date :

Print Date : 21.08.2025

Print Time : 14:05:16

Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 21.08.2025

Batch No. : V32

S.No.	Group Weight (g)	Individual Weight (g)	Individual Thickness (mm)	Individual Hardness (kp)	Friability (%)	Disintegration Time (mm:ss)
Avg	4.439	NA	NA	NA	NA	NA
Min	4.439	NA	NA	NA	NA	NA
Max	4.439	NA	NA	NA	NA	NA
Diff	0.000	NA	NA	NA	NA	NA
SD %	0.000	NA	NA	NA		
RSD %	0.000	NA	NA	NA		
Result	PASS	NA	NA	NA	NA	NA

Checked By :

Date :

Print Date : 21.08.2025

Print Time : 14:05:16


Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 21.08.2025

Batch No. : V32



Checked By :

Date :