

Print Date : 02.08.2025

Print Time : 14:02:25

Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 02.08.2025

Batch No. : M212

MPR No.	cpg-t19	Interval Start Time	02-08-2025 13:35:01	Parameters	LSL	Target	USL
Product Code	200006677	Interval Stop Time	02-08-2025 13:59:26	Group Weight (g)	NA	NA	NA
Type Of Rotary	Double	User Name	PASXProduction FTO3Test	Individual Weight (g)	NA	NA	NA
Area	CUBCI	Balance ID	PRE1340	Thickness (mm)	NA	NA	NA
No. Of Stations	19	Hardness Tester ID	NA	Hardness Weight (kp)	NA	NA	NA
LHS Container No.	43424	Friabilator ID	PRE870	Friability (%)	NMT		1
RHS Container No.	NA	Disintegration Tester ID	PRE1054	Disintegration Time (mm:ss)	NMT		00:15:00
		Compression Equipment	PRE965				

Start Time	NA	NA		
Stop Time	NA	NA		
S.No.	Group Weight Of 10 Tablets (g)	S.No.	Individual Thickness (mm)	Individual Hardness (kp)
Side:	LHS	Side:	LHS	LHS
1.	NA	1.	NA	NA

02.08.2025 13:35:03		02.08.2025 13:51:29
02.08.2025 13:36:21		02.08.2025 13:58:51
Friability LHS (%)		Disintegration Time (mm:ss)
Before	After	Side:LHS
71.444	71.444	11:11
0.000		

Checked By :

Date :

Print Date : 02.08.2025

Print Time : 14:02:25

Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 02.08.2025

Batch No. : M212

Start Time	NA										
Stop Time	NA										
	Individual Weight (g)										
S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS	S.No.	LHS
1.	NA	21.	NA	41.	NA	61.	NA	81.	NA	101.	NA
2.	NA	22.	NA	42.	NA	62.	NA	82.	NA	102.	NA
3.	NA	23.	NA	43.	NA	63.	NA	83.	NA	103.	NA
4.	NA	24.	NA	44.	NA	64.	NA	84.	NA	104.	NA
5.	NA	25.	NA	45.	NA	65.	NA	85.	NA	105.	NA
6.	NA	26.	NA	46.	NA	66.	NA	86.	NA	106.	NA
7.	NA	27.	NA	47.	NA	67.	NA	87.	NA	107.	NA
8.	NA	28.	NA	48.	NA	68.	NA	88.	NA	108.	NA
9.	NA	29.	NA	49.	NA	69.	NA	89.	NA	109.	NA
10.	NA	30.	NA	50.	NA	70.	NA	90.	NA	110.	NA
11.	NA	31.	NA	51.	NA	71.	NA	91.	NA	111.	NA
12.	NA	32.	NA	52.	NA	72.	NA	92.	NA	112.	NA
13.	NA	33.	NA	53.	NA	73.	NA	93.	NA	113.	NA
14.	NA	34.	NA	54.	NA	74.	NA	94.	NA	114.	NA
15.	NA	35.	NA	55.	NA	75.	NA	95.	NA	115.	NA
16.	NA	36.	NA	56.	NA	76.	NA	96.	NA	116.	NA
17.	NA	37.	NA	57.	NA	77.	NA	97.	NA	117.	NA
18.	NA	38.	NA	58.	NA	78.	NA	98.	NA	118.	NA
19.	NA	39.	NA	59.	NA	79.	NA	99.	NA	119.	NA
20.	NA	40.	NA	60.	NA	80.	NA	100.	NA	120.	NA

Checked By :

Date :

Print Date : 02.08.2025

Print Time : 14:02:25

Printed By : PASXProduction FTO3Test

Product Name : Coated for Clopidogrel Bi.Tab 75mg,USA

PRE1841 - Inprocess Report

Batch Date : 02.08.2025

Batch No. : M212

S.No.	Group Weight (g)	Individual Weight (g)	Individual Thickness (mm)	Individual Hardness (kp)	Friability (%)	Disintegration Time (mm:ss)
Avg	NA	NA	NA	NA	0.000	11:11
Min	NA	NA	NA	NA	0.000	11:11
Max	NA	NA	NA	NA	0.000	11:11
Diff	NA	NA	NA	NA		
SD %	NA	NA	NA	NA		
RSD %	NA	NA	NA	NA		
Result	NA	NA	NA	NA	PASS	PASS

Checked By :

Date :