

Print Date : 01.10.2025

Print Time : 14:42:49

Print By : Initial User

Product Name : Printing of Pantopra.Sod.DR Tab 40mg USA

DR.REDDY'S LABORATORIES LTD

FTO Unit-3

PRE965 - Batch Report Disintegration Time (mm:ss)

Batch Date : 01.10.2025

Batch No : TRES

Product Code	200013010
Compression Equipment ID	PRE965
Type of Rotary	Double
Cubicle Name	CCOM
Disintegration tester ID	PRE2181
No of Stations	77

Batch Start Time	01.10.2025 14:20:10
Batch Stop Time	01.10.2025 14:28:08
Username	Initial User

S. No.	Start Time	Stop Time	Instrument ID	LHS Container No	RHS Container No	NMT(mm:ss)	Min	Max	Avg	Result	UserName
1	01.10.2025 14:24:24	01.10.2025 14:24:24	PRE2181	234	NA	15:00	11:23	11:23	11:23	PASS	Jillella Nagaraju

Avg Of Avg	NaN:NaN:NaN
------------	-------------

Checked By :

*NA-Not applicable

Print Date : 01.10.2025

Print Time : 14:42:50

Print By : Initial User

Product Name : Printing of Pantopra.Sod.DR Tab 40mg USA


DR.REDDY'S LABORATORIES LTD

FTO Unit-3

PRE965 - Batch Report Disintegration Time (mm:ss)

Batch Date : 01.10.2025

Batch No : TRES



Checked By :

*NA-Not applicable