

Print Date : 17.01.2025
Print Time : 17:31:18
Print By : Initial User
Product Name : DOLO

DR.REDDY'S LABORATORIES LTD

NA

Batch Report - LOD (%w/w)

Batch Date : 2025-01-17
Batch No : 2123232

Product Code	11	Batch Start Time	17.01.2025 17:06:26
Area	Granulation	Batch Stop Time	17.01.2025 17:09:50
Moisture ID	PR703	UserName	Initial User

S. No.	Start Time	Stop Time	Instrument ID	LSL	Target	USL	LOD Value	Result	UserName
1	17.01.2025 17:08:32	17.01.2025 17:08:32	PR703	1.5	2.5	3.5	1.500	Pass	Jaisukh BK
2	17.01.2025 17:09:26	17.01.2025 17:09:26	PR703	1.5	2.5	3.5	3.500	Pass	Jaisukh BK
3	17.01.2025 17:08:32	17.01.2025 17:08:32	PR703	1.5	2.5	3.5	1.500	Pass	Jaisukh BK
4	17.01.2025 17:09:26	17.01.2025 17:09:26	PR703	1.5	2.5	3.5	3.500	Pass	Jaisukh BK

Print Date : 17.01.2025
Print Time : 17:31:18
Print By : Initial User
Product Name : DOLO

DR.REDDY'S LABORATORIES LTD
NA
Batch Report - LOD (%w/w)

Batch Date : 2025-01-17
Batch No : 2123232

